

# AETHUSA CYNAPIUM

La caratteristica più conosciuta e appariscente di Aethusa è la sensibilità al latte; un'intolleranza tanto forte da destare vive preoccupazioni. Il latte viene rigettato appena bevuto, è solitamente acido e cagliato in grossi pezzi, in altri casi assume un aspetto schiumoso. In generale è presente un aggravamento acuto da latte con vomito o diarrea, nel qual caso va posta diagnosi differenziale con Lac vaccinum defloratum, Natrum carbonicum e Silicea, associati a grande prostrazione e torpore. La disidratazione conseguente rende conto della debolezza e della sonnolenza di questi piccoli, il cui aspetto vecchieggiante con viso pallido, rugoso ed incavato testimonia la gravità della situazione.

Tipiche sono le labbra cerchiato da un pallore bianco-bluastrò e la linea nasale che va dagli orifizi agli angoli della bocca.

Il bambino ha uno sguardo particolarmente ansioso e a tutti i sintomi si associa l'assenza di sete, che è il sintomo chiave del rimedio.

Nei bambini l'astenia può rendere difficoltosa la stazione eretta e la testa cade per il peso, sintomo che ha in comune solo con Abrotanum.

Il tratto gastro-intestinale e la conseguente cattiva assimilazione alimentare rappresentano dunque il punto debole dei piccoli Aethusa. Tra angosce e pianti, sono per solito sofferenti di gastroenteriti, diarree estive legate al tempo caldo e durante la dentizione. Le feci sono acquose e possono contenere muco verde o tracce di sangue, mentre l'addome si presenta gonfio e sensibile al tocco.

Dal punto di vista caratteriale si tratta, come Natrum muriaticum, di bambini riservati e sempre bene controllati, ma con forti emozioni interne.

Lo studio rappresenta un problema in quanto possono avere difficoltà di concentrazione, associata a disturbi da anticipazione. Hanno inoltre difficoltà ad apprendere e l'applicazione mentale è spesso causa di violenti mal di testa.

Gli animali li attraggono irresistibilmente, sono estremamente sensibili alla loro sofferenza e preferiscono la loro compagnia a quella delle persone; l'attaccamento agli animali è così spiccato che, nei momenti più critici, possono credere di vederne un'ampia varietà: di solito cani, gatti e topi; a volte, scambiano le persone presenti per animali.

Un altro capitolo importante riguarda le paure: di andare a dormire per il timore di non risvegliarsi, di chiudere gli occhi, dei medici. Al pari di Calcarea carbonica vede delle facce al momento della chiusura degli occhi.

## Dentition - sensorium and neurological

*GENERALS - CONVULSIONS - dentition; during* (bg2, bro1, hr1, k)

## Dentition - gastro-enteric

*TEETH - DENTITION - difficult - accompanied by - milk indigestion* (mp)

*STOMACH - VOMITING - dentition; during* (hr1, st)

*RECTUM - DIARRHEA - dentition; during* (bro1, k)

## Dentition - generalities

*TEETH - DENTITION - difficult* (br1, bro1, c1, hr1, kr1)

## Nursing - milk; influence of

*STOMACH - INDIGESTION - milk - agg.* (br1, bro1, k)

*STOMACH - VOMITING - milk; after* (bg2, bro1, k, mtf33, ptk1)

*STOMACH - VOMITING; TYPE OF - milk* (k, mtf33)

*STOMACH - VOMITING; TYPE OF - milk - curdled* (bg2, bro1, k, mtf33, ptk1)

*STOMACH - VOMITING; TYPE OF - milk - curdled - children; in - nurslings; in* (mrr1, mtf33)

*RECTUM - DIARRHEA - milk - agg.* (bro1, k, mtf33)

*GENERALS - FOOD and DRINKS - milk - agg.* (bg2, br1, bro1, k, mrr1, mtf33, ptk1)

*GENERALS - FOOD and DRINKS - milk - aversion* (gsw1, k, mtf33, tl1)

GENERALS - FOOD and DRINKS - milk - aversion - mother's milk (qqh,t11)

### **Nursing - gastrointestinal - appetite - less**

STOMACH - APPETITE - wanting (k)

STOMACH - APPETITE - wanting - thirst - with (hr1)

### **Nursing - gastrointestinal - appetite - more**

STOMACH - APPETITE - increased - vomiting - after (bg2,br1,c1,mtf33,t11)

### **Nursing - gastrointestinal - eructations - food**

STOMACH - ERUCTATIONS; TYPE OF - food (bro1,k,ptk1)

STOMACH - ERUCTATIONS; TYPE OF - food - eating - one hour after (hr1,k,ptk1)

### **Nursing - gastrointestinal - vomiting**

STOMACH - VOMITING - children; in - nurslings (c1)

STOMACH - VOMITING - children; in - nurslings - after nursing; shortly (t11)

STOMACH - VOMITING; TYPE OF - food - eating - after - agg. (hr1,vh)

STOMACH - VOMITING; TYPE OF - food - eating - after - agg. - undigested food two or three hours after (bg3)

STOMACH - VOMITING; TYPE OF - food - undigested (k)

### **Nursing - gastrointestinal - abdominal complaints - aggravating modalities**

ABDOMEN - PAIN - children; in - nurslings; in - cramping (bro1)

### **Nursing - gastrointestinal - abdominal complaints - ameliorating modalities**

ABDOMEN - PAIN - warmth - amel. (a1,k)

### **Nursing - gastrointestinal - rectum complaints**

RECTUM - DIARRHEA - children; in (br1,k)

RECTUM - DIARRHEA - children; in - newborns (mrr1)

### **Nursing - generalities**

GENERALS - EATING - overeating agg.; after - children; in (bg2,sf1.de)

GENERALS - NURSLINGS (kk2.de,mtf33)

### **Constitution - fear and anxiety**

MIND - AILMENTS FROM - anticipation (mtf33,st,vh)

MIND - ANXIETY - children - in (mtf33)

MIND - FEAR - control; losing (vh1)

MIND - FEAR - failure, of (zzz)

MIND - FEAR - failure, of - examinations; in (mtf33,ptk1,st,t11)

MIND - FEAR - high places, of (dgt,mtf33)

### **Constitution - generalities**

MIND - DISCONTENTED (k)

MIND - WEeping - children, in (zzz)

MIND - WEeping - noise, at (k)

### **Family; attitude towards - love and affection**

MIND - ANXIETY - family; about his (vh1)

MIND - ANXIETY - others, for (zzz)

### **Relationship with others - approached by others; when**

MIND - COMPANY - desire for (k)

MIND - COMPANY - desire for - alone agg.; when (bg2)

MIND - TIMIDITY (zzz)

MIND - TIMIDITY - public; about appearing in (mtf33,st)

### **Relationship with others - generalities**

MIND - INDEPENDENT (mrr1)

MIND - SYMPATHETIC (zzz)

### **School - anxiety**

MIND - AILMENTS FROM - anticipation (mtf33,st,vh)  
MIND - ANTICIPATION - examination; before (st)  
MIND - FEAR - failure, of (zzz)  
MIND - FEAR - failure, of - examinations; in (mtf33,ptk1,st,t11)  
RECTUM - DIARRHEA - anticipation, after (t11)

### **School - concentration**

MIND - CONCENTRATION - difficult - children, in (k,mtf33)  
MIND - CONCENTRATION - difficult - studying (k1,mtf33,st)  
MIND - DULLNESS - reading (ptk1)  
MIND - DULLNESS - studying; when (ptk1)

### **School - learning - generalities**

MIND - DULLNESS - studying; when (ptk1)

### **School - learning - reading**

MIND - DULLNESS - reading (ptk1)  
MIND - READING - unable to read (hr1,kr1,mtf33)

### **School - relationship with others**

MIND - TIMIDITY - public; about appearing in (mtf33,st)

### **Animals; attitude towards**

MIND - ANIMALS - love for animals (ckh1,gb,mrr1,mtf33,vh1)  
MIND - ANIMALS - love for animals - cats (ckh1)  
MIND - ANIMALS - love for animals - dogs (ckh1)  
MIND - SYMPATHETIC - animals; towards (c1,mrr1,oss)

### **Non verbal symptoms - aggressiveness**

MIND - SPITTING (a1)

### **Non verbal symptoms - gestures**

MIND - AWKWARD (a1,bg2,mtf33)  
MIND - JUMPING (zzz)

### **Non verbal symptoms - generalities**

MIND - RESTLESSNESS - children, in (mtf33)  
MIND - SHRIEKING - children, in (hr1,kr1)

### **Non verbal symptoms - consultation; investigated during - ear**

EAR - DISCHARGES - purulent (a1,k)  
EAR - DISCHARGES - warm; as if (br1,c1)  
EAR - DISCHARGES - yellow (hr1,k)  
EAR - WAX - wanting (k)

### **Non verbal symptoms - consultation; investigated during - mouth**

MOUTH - APHTHAE (a1,bro1,hr1,k)  
MOUTH - APHTHAE - Tongue (hr1,k,mtf33,vk1)  
MOUTH - THRUSH (vk1)

### **Non verbal symptoms - consultation; investigated during - throat**

THROAT - APHTHAE (a1,k)

### **Non verbal symptoms - consultation; investigated during - external throat**

EXTERNAL THROAT - INDURATION of glands - cords; like knotted (bg1)  
EXTERNAL THROAT - SWELLING - Cervical Glands (hr1)

### **Non verbal symptoms - consultation; investigated during - back**

BACK - ERUPTIONS - boils - Lumbar region (a1)  
BACK - ERUPTIONS - boils - Sacrum (k)

**Non verbal symptoms - consultation; investigated during - skin**

SKIN - INTERTRIGO (bro1)

**Non verbal symptoms - appearance - observed by doctor - head**

HEAD - HOLD - up head; unable to hold (k,mtf33,ptk1,t11)

**Non verbal symptoms - appearance - observed by doctor - eye**

EYE - AGGLUTINATED (a1,k)

EYE - STRABISMUS (bg2)

**Non verbal symptoms - appearance - observed by doctor - nose**

NOSE - NOSTRILS drawn in (ptk1)

**Non verbal symptoms - appearance - observed by doctor - face**

FACE - CHAPPED - Lips (a1)

FACE - DISCOLORATION - pale - children; in (mtf33)

FACE - EXPRESSION - old looking (mrr1,mtf33,vh1)

FACE - EXPRESSION - old looking - children; in (mtf33)

**FACE - HIPPOCRATIC** (bro1,k,mrr1,mtf33,ptk1)

FACE - HIPPOCRATIC - children; in - newborns (mrr1)

FACE - LINEA nasalis (a1,bg2,k,mtf33,ptk1,t11,vh1)

FACE - WRINKLED (k)

FACE - WRINKLED - children; in - newborns (mrr1)

**Non verbal symptoms - appearance - observed by parents - eye**

EYE - AGGLUTINATED - morning (a1,k)

**Non verbal symptoms - appearance - observed by parents - ear**

EAR - BORING fingers in - amel. (ptk1)

**Non verbal symptoms - appearance - observed by parents - stomach**

STOMACH - GURGLING - nausea; with (a1,k)

STOMACH - HICCOUGH (bg2,bro1,c2,k,mtf33)

**Non verbal symptoms - appearance - observed by parents - abdomen**

ABDOMEN - PAIN - children; in - nurslings; in - cramping (bro1)

ABDOMEN - PAIN - warmth - amel. (a1,k)

**Non verbal symptoms - appearance - observed by parents - stool**

STOOL - UNDIGESTED (bro1,hr1,k,mtf33)

**Non verbal symptoms - appearance - observed by parents - respiration**

RESPIRATION - SNORING (k)

**Non verbal symptoms - appearance - observed by parents - skin**

SKIN - ECCHYMOSES (br1,bro1,c1,hr1)

**Night; observations during the - mental**

MIND - ANXIETY - dark; in (k)

MIND - FEAR - dark; of (st1)

MIND - SOMNAMBULISM (dgt1)

**Night; observations during the - physical**

BLADDER - URINATION - involuntary - night (k)

**Physical symptoms and pathologies**

HEAD - INFLAMMATION - Brain (bro1,mld)

STOMACH - VOMITING - children; in (k2,t11)

**RECTUM - CHOLERA - infantum** (bro1,c2,hr1,k,ptk1,t11)

RECTUM - CHOLERA - infantum - accompanied by - stools; green watery (t11)

GENERALS - CHILDREN; complaints in (br1,k,mtf33)

*GENERALS - CONVULSIONS - children; in* (bg2,br01,k)  
*GENERALS - CONVULSIONS - children; in - infants, in* (bro1)  
*GENERALS - EATING - overeating agg.; after* (ptk1)  
*GENERALS - EATING - overeating agg.; after - children; in* (bg2,sf1.de)  
*GENERALS - EMACIATION - children; in* (kr1)  
*GENERALS - SEASONS - summer - agg. - children; in* (br1)  
*GENERALS - WEAKNESS - children; in* (vh1)  
*GENERALS - WEAKNESS - children; in - newborns; in* (mrr1)

### **Surgical pathology**

MALE GENITALIA/SEX - RETRACTION - Testes - right (hr1,mtf33)

Clinica: Intolleranza al latte. Disordini gastrici. Diarrea. Tosse. Otorrea. Affezioni oculari. Affezioni ghiandolari. Epilessia. Paralisi infantile. Insonnia.

Tropismo: Digestione. Cervello. Nervi. Nuca. Ghiandole. Fegato.